

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	28	("20020016158" "20020075971" "20020136178" "4159518" "4313215" "5384547" "5402500" "6014366" "6028884" "6484017" "6621368" "6662001" "6757324").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:39
L3	4	("5974040" "6282231").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:39
L4	2	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:00
L5	1	((dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:00
S1	0	"00001024179693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 12:35
S2	1	"09/991500"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 12:35
S3	0	super with heterodyne with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:05
S4	1756	super with heterodyne	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:05

S5	0	super with heterodyne same ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:05
S6	13	super with heterodyne and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:07
S7	676	(dynamic with range) and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:08
S8	646	(dynamic adj range) and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:08
S9	75	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:08
S10	27	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:09
S11	10	(dynamic adj range) with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:34
S12	3	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier) and (IF or (intermediate adj frequency)) and (A/D or (analog adj to adj digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:58

S13	2	"20030072393".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:15
S14	2	"5396519".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:15
S15	19	((dynamic adj range) with reduce\$1) with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:29
S16	3148	375/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:29
S17	2155	375/350	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:29
S18	6891	((dynamic adj range) with reduce\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:29
S19	5666	16and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:30
S20	62	S18 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:30

S21	51	S18 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:31
S22	19	(dynamic adj range) with reduce\$1 with ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:31
S23	122	(dynamic adj range) with reduce\$1 and ((multi adj carrier) or multicarrier or multi-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:31
S24	11	S23 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:33
S25	9	S23 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:31


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

multi-carrier "reduced dynamic range" "interme

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 6 of 6 for **multi-carrier "reduced dynamic range" "intermediate frequency"**. (0.41 seconds)Did you mean: **multicarrier** "reduced dynamic range" "intermediate frequency"[PS] [Abstract Most current development strategies for future mobile ...](#)File Format: Adobe PostScript - [View as Text](#)The lower frequency band might be used as an **intermediate frequency** for ...**"Multi-carrier** spread spectrum modulation with **reduced dynamic range** ...www.tkn.tu-berlin.de/publications/papers/icupc.ps - [Similar pages](#) - [Remove result](#)[PDF] [A Closed Solution For An Integrated Broadband Mobile System \(IBMS\)](#)

File Format: PDF/Adobe Acrobat

[3] V. Aue and GP Fettweis, **"Multi-carrier** spread spectrum mod-. ulation with **reduced dynamic range**,"Proceedings of the 46th IEEE ...www.tkn.tu-berlin.de/publications/papers/icupc.pdf - [Similar pages](#) - [Remove result](#)[PDF] [Mixed BB-IF predistortion of OFDM signals in non-linear channels ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)performance of the existing analog IF (**Intermediate Frequency**) ... to nonlinear distortions because of the adopted **multicarrier**. modulation. ...

dante.diei.unipg.it/~banelli/Documenti/ TransOnBroad_Mixed_BB_IF_printable.pdf - Supplemental Result -

[Similar pages](#) - [Remove result](#)[PDF] [A Closed Solution for an Integrated Broadband Mobile System \(IBMS ...](#)

File Format: PDF/Adobe Acrobat

intermediate frequency for transmitting at 38 GW60 GHz, lead-. ing to a modular terminal design, ... ulation with **reduced dynamic range**,"Pmceedings ...ieeexplore.ieee.org/iel3/ 4062/12222/00562665.pdf?arnumber=562665 - [Similar pages](#) - [Remove result](#)[PDF] [Configurable RF receiver architectures - Microwave Magazine, IEEE](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**multicarrier** system based on HIPERLAN/2 and. UMTS-FDD standards [14], [15] and Nokia has found ... **intermediate frequency** (if) frequency range up to 2 ...

140.98.193.112/iel5/6668/28677/01284946. pdf?tp=&arnumber=1284946&isnumber=28677 - Supplemental Result -

[Similar pages](#) - [Remove result](#)[PDF] [lib.tkk.fi/Diss/2000/isbn9512253186/isbn9512253186.pdf](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#) - [Remove result](#)Did you mean to search for: **multicarrier** "reduced dynamic range" "intermediate frequency"Try searching for **multi-carrier "reduced dynamic range" "intermediate frequency"** on Google
[Book Search](#)

Google Desktop Search



9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

multi-carrier "reduced dynamic range"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

multicarrier "reduced dynamic range" "interme

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 6 of 6 for multicarrier "reduced dynamic range" "intermediate frequency". (0.66 seconds)


Tip: Try removing quotes from your search to get more results.

[PS] [Abstract Most current development strategies for future mobile ...](#) - 9:37amFile Format: Adobe PostScript - [View as Text](#)The lower frequency band might be used as an **intermediate frequency** for ...**"Multi-carrier** spread spectrum modulation with **reduced dynamic range** ...www.tkn.tu-berlin.de/publications/papers/icupc.ps - [Similar pages](#) - [Remove result](#)[PDF] [A Closed Solution For An Integrated Broadband Mobile System \(IBMS\)](#) - 9:39am

File Format: PDF/Adobe Acrobat

[3] V. Aue and GP Fettweis, **"Multi-carrier** spread spectrum mod-. ulation with**reduced dynamic range**,"Proceedings of the 46th IEEE ...www.tkn.tu-berlin.de/publications/papers/icupc.pdf - [Similar pages](#) - [Remove result](#)[PDF] [Mixed BB-IF predistortion of OFDM signals in non-linear channels ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)performance of the existing analog IF (**Intermediate Frequency**) ... to nonlineardistortions because of the adopted **multicarrier**. modulation. ...dante.diei.unipg.it/~banelli/Documenti/TransOnBroad_Mixed_BB_IF_printable.pdf - Supplemental Result -[Similar pages](#) - [Remove result](#)[PDF] [A Closed Solution for an Integrated Broadband Mobile System \(IBMS ...](#)

File Format: PDF/Adobe Acrobat

intermediate frequency for transmitting at 38 GW60 GHz, lead-. ing to a modularterminal design, ... ulation with **reduced dynamic range**,"Pmceedings ...ieeexplore.ieee.org/iel3/4062/12222/00562665.pdf?arnumber=562665 - [Similar pages](#) - [Remove result](#)[PDF] [Configurable RF receiver architectures - Microwave Magazine, IEEE](#) - 9:40amFile Format: PDF/Adobe Acrobat - [View as HTML](#)**multicarrier** system based on HIPERLAN/2 and. UMTS-FDD standards [14], [15] andNokia has found ... **intermediate frequency** (if) frequency range up to 2 ...140.98.193.112/iel5/6668/28677/01284946.pdf?tp=&arnumber=1284946&isnumber=28677 - Supplemental Result -[Similar pages](#) - [Remove result](#)[PDF] lib.tkk.fi/Diss/2000/isbn9512253186/isbn9512253186.pdfFile Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#) - [Remove result](#)Try searching for **multicarrier "reduced dynamic range" "intermediate frequency"** on Google
[Book Search](#)Free! Instantly find your email, files, media and web history. [Download now.](#)

multicarrier "reduced dynamic range"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

multi carrier AND "reduced dynamic range" AND "inter

Search

☒ Journal sources
 ☒ Preferred Web sources
 ☒ Other Web sources
 ☐ Exact phrase

Searched for:: :All of the words:multi AND carrier AND "reduced dynamic range" AND "intermediate frequency"

Found:: :5 total | 0 journal results | 0 preferred web results | 5 other web resultsSort by:: :relevance | date

Save checked results

Email checked results

Export checked results

Or refine using:

All of the words

Refine

☐ 1. [A/54A](#) [PDF-360K]

Jan 2004

...Compression 41 6.6 Main, Associated, and **Multi**-Lingual Services 43
 6.6.1 Overview 43 6.6.2 Summary of Service Types 43 6.6.3 **Multi**-Lingual
 Services 44 6.6.4 Detailed Description...December 2003 5 8.5 Upconverter
 and RF **Carrier** Frequency Offsets 76 8.5.1 Nominal DTV Pilot **Carrier**
 Frequency 76 8.5.2 Requirements for Offsets...
 [http://www.atsc.org/standards/a_54a.pdf]

[similar results](#)☐ 2. [helix_conf.dvi](#) [PDF-18K]

Mar 2002

...Cost Cordless **Multi-Carrier** Spread-Spectrum System...spread-spectrum
 techniques. **Multi-carrier** spread-spectrum (MC-SS...measurements of the
intermediate frequency (IF) and baseband...contract Fe 423/1 II. **Multi**-
Carrier Spread-Spectrum...high dynamic range. A **reduced dynamic**
range or a low crest factor...

[http://www.ifn.et.tu-dresden.de/MNS/veroeffentlichunge...]

[similar results](#)☐ 3. [Bat Detectors](#) [27K]

Oct 2001

...incorporating a broad-band facility into a tuned super-het bat detector.
 Amplitude modulation of a **carrier** at the **intermediate frequency**, by a
 suitable rectangular waveform will produce a comb spectrum with the
 desired line spacing and...

[http://www.brunel.ac.uk/~ibsrjah/batdetectors.htm]

[similar results](#)☐ 4. [No Title](#) [PDF-114K]

Dec 1997

...in Chapter 4. Two possible **multi**-standard implementations...discusses
 issues related to **multi**-standard decimation filter...different channel
 bandwidths and **carrier** frequencies. This chapter...integration, and
 potential for **multi**-standard operation. A description...high.[11]. The Wide-
 Band **Intermediate Frequency** With Double Conversion (WIF...

[http://kabuki.eecs.berkeley.edu/~cjb/masters.pdf]

[similar results](#)5. [PubTeX output 1997.11.17:1150](#) [PDF-34K]

- ☐ Jan 1998
...standards with various **carrier** frequencies, channel...operates on a 1.9-GHz **carrier** and has the capability...which results in a **reduced dynamic range** requirement for the...channels away from the **carrier**. (c) Third-order IM...standard with a 190 MHz **intermediate frequency**. The receiver's reference...
[http://mochi.eecs.berkeley.edu/~gchien/papers/jssccDec...]
similar results

fast :::

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising Test Zone](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005



Welcome United States Patent and Trademark Office

☐ Search Results
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))"

Your search matched 2 of 1263585 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer

» Search Options

[View Session History](#)[New Search](#)

Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Higher-level multi-carrier modulation and its implementation**
 Aue, V.; Fettweis, G.P.;
 Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th International Symposium on
 Volume 1, 22-25 Sept. 1996 Page(s):126 - 130 vol.1
 Digital Object Identifier 10.1109/ISSSTA.1996.563755
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE CNF
- ☐ 2. **Multi-carrier spread spectrum modulation with reduced dynamic range**
 Aue, V.; Fettweis, G.P.;
 Vehicular Technology Conference, 1996. 'Mobile Technology for the Human Race', IEEE
 Volume 2, 28 April-1 May 1996 Page(s):914 - 917 vol.2
 Digital Object Identifier 10.1109/VETEC.1996.501444
[AbstractPlus](#) | Full Text: [PDF\(388 KB\)](#) IEEE CNF

 Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

Search Results

□\$B"#□(B Search of Full Paper

Word count: [multicarrier: 252] { [reduced: 4611] [dynamic: 3042] [range: 4961] :: 0 }

No match.

Search String: multicarrier "reduced dynamic range"

Next Search

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers

Search Results

□\$B"#□(B Search of Full Paper

Word count: [multicarrier: 252] { [reduced: 4611] [dynamic: 3042] [range: 4961] :: 0 } { [intermediate: 987] [frequency: 5887] :: 4 }

No match.

Search String: multicarrier "reduced dynamic range"

[Next Search](#)

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers



Welcome United States Patent and Trademark Office

□ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((multicarrier<in>metadata) <and> (reduced dynamic range<in>metadata))<an..."

[e-mail](#) [printer](#)Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 [»](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

Carol Barrett Home Page

Low-Power Decimation Filter Design for Multi-Standard Transceiver Applications

Current research on wireless RF transceivers emphasizes both higher integration and the ability to adapt to multiple communication standards. Higher integration can be obtained by using receiver architectures, such as wideband IF with double conversion (WIF), that perform channel select filtering on-chip at baseband. Performing this baseband channel select filtering in the digital domain allows for the programmability necessary to adapt to the different channel bandwidths, sampling rates, and CNR requirements of multiple communication standards. At the back end of a wide-dynamic range sigma-delta modulator, a decimation filter can select a desired channel in the presence of both strong adjacent channel interferers and quantization noise from the digitization process.

The focus of this project is to design a power-optimized decimation filter that demonstrates the ability to perform digital channel select filtering for both the GSM (cellular) and DECT (cordless) standards. Automatic gain control is used within the filter to reduce the dynamic range and therefore the power consumption. The filter adapts to the different standards by using a technique in which portions of the circuit are powered down in each mode. This adjusts the frequency response and saves additional power consumption.

My advisor is Paul Gray at the University of California at Berkeley.

Slides

- C. Barrett "Low-Power Decimation Filter Design for Multi-Standard Transceiver Applications," (PDF), October 1997. **NEW!**
- C. Barrett "Low-Power Decimation Filter for Multi-Standard Transceiver Applications," (GIF/MIF/PS), March 1997.

Thesis

- Carol Barrett "Low-Power Decimation Filter Design for Multi-Standard Transceiver Applications," (PDF), December 1997. **NEW!**



[Back to the PRG Group page.](#)

C.J. Barrett
University of California
211-2 Cory Hall EECS UCB
Berkeley, CA 94720-1772

Email: cjb@eecs.berkeley.edu
Office: (510) 642-9399
FAX: (510) 642-2739

[finger cjb@eecs.berkeley.edu](#)

Last modified: Mon Aug 21 23:19:39 1995

<http://kabuki.eecs.berkeley.edu/~cjb/>

12/2/05